

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant : Derek Shaw et al. Art Unit : 3763
Patent No. : 7,118,552 Examiner : Kevin C. Simons
Issue Date : October 10, 2006
Serial No. : 09/936,859
Filed : November 15, 2001
Title : AUTOMATICALLY OPERABLE SAFETY SHIELD SYSTEM FOR SYRINGES

Attn.: Certificate of Corrections Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

TRANSMITTAL OF REQUEST FOR CERTIFICATE OF CORRECTION

Applicant hereby requests that a certificate of correction be issued for the above patent in accordance with the attached request.

One of the errors sought to be corrected was made by applicant.

Please apply the \$100 to cover the required fee of 37 CFR §1.20(a) and any charges or credits to Deposit Account No. 06-1050, referencing Attorney Docket No. 06275-283US1.

Respectfully submitted,

Date: November 2, 2007

/Celia H. Leber/
Celia H. Leber
Reg. No. 33,524

Fish & Richardson P.C.
225 Franklin Street
Boston, MA 02110
Telephone: (617) 542-5070
Facsimile: (617) 542-8906

Staple
Here
Only

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. .: 7,118,552
APPLICATION NO .: 09/936,859
DATED .: OCTOBER 10, 2006
INVENTOR(S) .: DEREK SHAW AND BRIAN LAW

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the References Cited section, the following references are missing:

US 4,758,231
US 4,062,353
US 5,059,180

US 5,201,720, "Boergia" should be --Borgia--

In the Abstract, line 2, after "an" insert --inner--.

In the Abstract, line 6, after "holder" insert --and--.

In the Abstract, line 17, after "position" insert --and a trigger positioned within the inner holder and axially movable relative to the inner holder such that it can contact the first stop member from the first opening, allowing the spring to move the outer shield to the extended position.--

Col. 16, claim 14, line 29, "claim 12" should be --claim 13--

Col. 16, claim 17, line 41, "automaticahy" should be --automatically--

MAILING ADDRESS OF SENDER:

Celia H. Leber
Fish & Richardson P.C.
P.O. Box 1022
Minneapolis, Minnesota 55440-1022